

OWNER'S MANUAL

15' Classic Water Trampoline
15' Turtle Jump Water Trampoline
20' Acrobat Water Trampoline
25' Giant Jump Water Trampoline

Additional updates may be available at: www.watertrampolines.com/safety_info.asp

Contents

- **3** Owners and User Cautions/Warnings
- 6 Packing List
- 8 Assembly
 - Trampoline Frame
 - Float Tube
 - Attach to Water Trampoline
 - Safety pad / Ladder
- 12 Anchoring
- 13 Care, Cleaning and Storage
- 14 Repairs and Patching
- 15 Warranty
- **16** Notice! Release of Liability, Claim Waiver, and Assumption of Risk Agreement

Read the entire manual prior to inflating and assembling your *Island Hopper* **Water Trampoline.** It's the owners' responsibility to instruct all users how to safely use this product. By inflating these products you hereby agree to the Release of Liability, Claim Waiver, and Assumption of Risk Agreement in this manual. Please read this manual and keep for future reference.

If you have any questions regarding the Island Hopper watersports products, please contact Aqua Sports Technology at 1 (800) 893-9677.

Release of Liability, Claim Waiver, and Assumption of Risk Agreement

Λ	CAUTION
This man	orts can be safe and fun. Be sure to read OWNERS MANUAL before use ual is intended to alert you to some of the potentially dangerous ns that can arise in all watersports activities.
INSTRUC INFLATIN CLAIM W	OWNERS RESPONSIBILITY TO READ THE OWNERS MANUAL AND TALL USERS AS TO THE SAFE USE OF THESE PRODUCTS. BY IG THE PRODUCT YOU HEREBY AGREE TO THE RELEASE OF LIABILITY (AIVER AND ASSUMPTION OF RISK AGREEMENT AS OUTLINED IN NER'S MANUAL.
TO REDU GUIDELI	ICE THE RISK OF INJURY OR DEATH, FOLLOW THE FOLLOWING NES:
• •	Read Owner's Manual and follow the instructions. Instruct anyone using the product about safe guidelines before use. USE COMMON SENSE — DON'T ALLOW HORSEPLAY Check the equipment before each use. Check frame strap connection to be sure they are tight and safely secured.
ENCOUN	RNINGS SET FORTH ABOVE REPRESENT SOME COMMON RISKS ITERED BY USERS AND DOES NOT PURPORT TO COVER ALL ES OF RISK OR DANGERS.
	ontact the dealer or manufacturer of this product if you have any s about proper and safe use of this product.
	AQUA SPORTS TECHNOLOGY AUBURN, CA 95602 (530) 268-7310

While every attempt is made to produce the highest degree of protection in all *Island Hopper*[®] water sports equipment, we cannot guarantee freedom from injury. The user assumes all risk of injury due to use. All product is sold on this condition, which no representative of the company can waiver or change.

Misuse and/or abuse of the product can cause serious injuries including but not limited to: broken bones, cuts, nerve damage, spinal cord and brain injury, or death. A trampoline or bouncer is a "rebound" device which propels the user to unaccustomed heights and into a variety of body movements. All users must read and understand the manufacturer's safety warnings and assembly instructions as well as care and -->

Safety Warnings

operations of the equipment. The contents in this manual are provided to promote the safe and enjoyable use of all Island Hopper water sports equipment.

Neoprene Distributors International Inc. DBA: Aqua Sports Technology shall not be liable for loss of revenue or profit, failure to realize savings or other benefits, or for any other special, incidental or consequential damages caused by the use, misuse or inability to use the product(s) regardless of the legal theory on which the claim is based, even upon notification to Neoprene Distributors International Inc. DBA: Aqua Sports Technology of the possibility of such damages. Nor shall recovery of any kind against Aqua Sports Technology be greater in amount than the purchase price of the product(s) sold causing the alleged damage.

USER ASSUMES ALL RISK AND LIABILITY FOR LOSS, DAMAGE, OR INJURY TO YOU AND YOUR PROPERTY AND TO OTHERS AND THEIR PROPERTY, ARISING OUT OF USE, MISUSE, OR INABILITY TO USE ANY Island Hopper® WATER SPORTS PRODUCTS NOT CAUSED DIRECTLY BY THE NEGLIGENCE OF AQUA SPORTS TECHNOLOGY. THIS WARRANTY SHALL NOT EXTEND TO ANYONE OTHER THAN THE ORIGINAL PURCHASER OF ANY PRODUCT, OR THE PERSON FOR WHOM IT WAS PURCHASED AS A GIFT.

WATER TRAMPOLINE WARNINGS

Use of this product and participation in water sports involves inherent risks of injury or death.

- 1. Children should be under the supervision of an adult at all times. This product is not intended for use by children under the age of 5 years.
- Always maintain a safe distance of 15ft (4.57m) between the product and any dock, hard object, platform, boat or pier.
 This water trampoline is designed for use in water only. DO NOT USE ON LAND, ON OR AROUND HARD SURFACES,
- OR SWIMMING POOLS.4. Be sure to securely anchor the water trampoline before each use. Check your jump surface connections regularly. Never use trampoline without spring pad covers properly secured.
- 5. All users should wear a US Coast Guard approved personal flotation device (PFD) when using this water trampoline or water bouncer.
- 6. The water trampoline is designed to be used in a large body of water with a MINIMUM DEPTH OF 8 FEET. Always check that the swimming area around the trampoline is free of obstructions including submerged logs, sandbars and rocks. Ask about local conditions before use.
- 7. Never use your water trampoline after sunset, or in poor lighting.
- 8. Avoid use around swimmers and areas that are subject to boat traffic.
- 9. Do not swim or play under your water trampoline.
- 10. Do not dive off the water trampoline, always enter the water feet first.
- 11. Never use in stormy weather, or in rough water conditions or high winds. Seek shelter when lightning is present or expected, DO NOT stay on product.
- 12. NEVER USE YOUR WATER TRAMPOLINE OR WATER BOUNCER WHILE UNDER THE INFLUENCE OF ALCOHOL OR DRUGS.
- 13. Be in control while using your water trampoline or water bouncer. Jump or bounce in the center of the trampoline, away from the padded frame. Do not attempt acrobatic maneuvers while using your trampoline or bouncer. Avoid bouncing too high.
- 14. Do not tow your water trampoline with riders aboard.
- 15. Always secure from unauthorized or unsupervised use while not using your product. It is best to remove the trampoline from the water and deflate or remove the jump surface and ladder to avoid unsupervised use.
- 16. Inspect your trampoline or bouncer and replace any worn, defective or missing parts before each use.
- 17. DO NOT EXCEED THE RECOMMENDED NUMBER OF USERS FOR THIS PRODUCT.
- 18. MAXIMUM JUMPING LOAD IS 300 POUNDS. CHECK AND SECURE YOUR HARDWARE TIES WHEN JUMPING WITH MAXIMUM LOADS.
- 19. This water trampoline / bouncer should not be used as a personal flotation device.
- 20. Never place any body parts under the spring pad cover or frame.



Max. users: 5/8

Size range



165'

50m

Device requires balancing

Ensure safe

distance



Do not use when there are offshore currents



Do not use when there are offshore winds



DO NOT launch people from the product



Only for children above 6 years old



No diving



Do not swim under the product




Do not jump if water is not clear



Working pressure: 2.0 psi (0.137 bar) for platforms



No protection against drowning



Minimum water depth 8 ft (2.43 m)



Swimmers only



Device provides floating stability



Read owner's manual




Always wear a life jacket




Packing List

No special tools are required, everything fits together. The following items will be in two to four boxes depending on the product:



Please allow yourself 1-3 hours to inflate and assemble your water trampoline. You will need the assistance of at least two other people to carry it to the water.



15' CLASSIC & TURTLE JUMP WATER TRAMPOLINE

Box #1

15' Inflatable tube 1 Repair patch

Box #2

Black jump surface
 Spring cover safety pad
 Steel frame sections w/ bolts
 Springs
 Aluminum ladder

20' ACROBAT WATER TRAMPOLINE

Box #1

20' Inflatable tube 1 Repair patch

Box #2

Black jump surface
 Spring cover safety pad
 Steel frame sections w/ bolts
 Springs
 Aluminum ladder

25' GIANT JUMP WATER TRAMPOLINE

Box #1


25' Inflatable Tube 1 Repair patch

Box #2 and #3

Black jump surface
 Spring cover safety pad
 Steel frame sections w/ bolts
 Springs
 Aluminum ladders

	MAXIMUM JUMPERS	WEIGHT LOAD
15' Classic / Turtle Jump	3	600 pounds
20' Acrobat Water Trampoline	4	800 pounds
25' Giant Jump Water Trampoline	5	1000 pounds

Trampoline Frame Assembly




Use your smart phone's camera, and TAP open the browser link that appears for water trampoline assembly.



Find a flat area, near the water, where you plan on installing the water trampoline.

Lay out the frame sections in a circle and slide the ends together. Then insert and screw together each section using the enclosed bolts. When finished you will have a flat round frame. (See photo ψ)

Next, lay the jump surface in the center of the frame. Attach the jump surface to the frame by hooking the spring to the V-ring on the mat and the other to the slot on the frame. Start with 4 springs and attach one at 12:00, 3:00, 6:00 and 9:00 counting the slots to be sure they are lined up evenly. When installing the springs the hooks should be pointing towards the ground. **Tip: spread a supply of springs around the outside of the frame and pull toward you.**





Count the number of slots between the 4 springs and fill in evenly with springs midway in each section. Continue until all springs are installed.



Failure to properly install the springs can result in personal injury. Make sure each V-ring on the jump mat is attached to a spring and the spring is firmly in a slot on the steel frame.

Tube and Frame Assembly

Lay out the inflatable tube on a level area free of sharp objects. Locate the valve and unscrew the cap. To open the valve, push down needle spring and rotate counter clockwise. <u>The valve is OPEN</u> when the spring is DOWN. Butt your shop vacuum hose up to the valve and inflate. Your tube is fully inflated when it is FIRM to the touch (about 2 PSI). Your hand should only make a slight depression when you push down on the tube. Once your tube is firm, quickly push the needle spring down and rotate clockwise to pop it up to the closed position. Then screw back on the cap.

Inflating your tube can be done WITHOUT A VALVE ADAPTER.

YOU WILL NEED TO TOP OFF YOUR TUBE FROM TIME TO TIME AS IT EXPANDS AND CONTRACTS WITH THE HEAT OF THE DAY.


20' Acrobat and 25' Giant Jump Water Trampolines have <u>three valves</u> to inflate three separate chambers.

FILL EACH CHAMBER 1/2 FULL AND THEN TOP OFF TO FULL TO AVOID BLOWING OUT THE INTERNAL WALLS.

If internal wall leakage exists between chambers, it will not affect the use of the product. Just continue to top off each valve to keep the product FIRM.



Inflate with shop vac or power inflator






Using your smart phone's camera, TAP open the browser link that appears. This will take you to the Island Hopper inflators webpage.

Attaching the Frame to the Trampoline Tube

There are two ways to attach the completed frame to the tube. (We recommend two or three people to complete this step)

 LIFT the completed trampoline frame onto the inflated tube. Positioning it on the black frame cradle. Once in position, be sure the frame is flat. Then buckle the straps around the frame and cinch tight. After buckling the straps, <u>wrap the excess strap</u> <u>around the frame and tie off securely.</u> This will keep the buckles tight and keep them from loosening over time.



Lift completed frame on to tube

Buckle Straps around frame

Wrap strap around frame and tie off

2. Another method is to lay the completed circular frame on to the black frame cradle and loosely buckle the straps BEFORE you inflate the tube. If you have a High Speed power inflator like the Metro Magic Air Blower Deluxe, you can inflate your tube with the weight of the frame on it. This is the best method when installing the frames on the larger 20' and 25' products. After fully inflated, tie off straps.



Attach Safety Pad

The Red and Blue Spring Cover Safety pad is an important safety feature and designed to prevent the users of the water trampoline from injury due to falling on the steel frame or on or between the springs. To attach the pad, unfold and lay it out on top of the trampoline so it covers the frame and springs. <u>Tie the straps located on the</u> <u>underside of the pad around the frame and tie off securely.</u>



CHECK THAT THE SAFETY PAD IS SECURELY ATTACHED BEFORE EACH USE.

Attach Ladder

Attach the ladder to the trampoline tube by securing the carabiners at the top of the ladder to the d-rings located in the ladder entry area.



IMPORTANT NOTE

Due to the extreme variations of installations, anchor line and anchor are NOT included with the trampolines or bouncers and must be purchased separately. Consult with local authorities regarding any specific anchoring restrictions in your area.

- **Choose a location** that is most protected from the wind and a minimum depth of 8 to 10 ft. Check that your location is free from obstructions including logs, sand bars and rocks. Always anchor a safe distance from docks or piers.
- A minimum of 150 lbs. to 200 lbs. is usually sufficient to anchor your trampoline. Use more weight if needed. Larger water trampolines with attachments may require more then 200 lbs.
- **Most water park attachments** (Island Runners, Double Blasters) will require a separate anchor of 50 lbs. or more. All Island Hopper attachments will have D-rings on the bottom to attach the anchor rope.
- Use 2, 3 or 4 anchors. We suggest 50 lb. Marine Boat Anchors or two cinder blocks on each rope. Tie rope off to the D-ring connections located around the outside or on the inside of your water trampoline.
- You can attach a shock cord (bungie cord) to the anchor line to absorb movements due to waves and general use. Add some rope slack to improve anchor holding performance.
- If you expect strong winds or severe weather, pull the trampoline out of the water and secure or deflate on shore. Tie off to a stake on shore with a float attached if needed to keep from blowing away. Keep this line away from users.
- DO NOT SWIM OR PLAY UNDER THE TRAMPOLINE.

Tip: Tie off the trampoline to a stake or dock so to avoid a strong wind from blowing it away. If you expect strong winds, pull the trampoline out of the water and secure or deflate on shore.

Care, Cleaning and Storage

CARE

Check for the following conditions to insure safe usage of your water trampoline — repair or replace immediately.

- Punctures or stitching deterioration of the jump surface
- Bent frame or loss of frame bolts
- Stretched or missing springs. Be sure all springs are firmly attached.
- Missing or insecurely attached spring cover safety pad
- Broken or missing frame straps and buckles. Do not use unless all frame straps are in place. Check before each use.

CLEANING

To clean the PVC inflatable tube simply use soap and water with a scrub sponge to remove water line film and dirt. For more tenacious water line grime, use products like "goo gone" in small applications and quickly rinse with water. Power wash with low intensity nozzle. Wipe dry before storing to avoid mildew.

STORAGE

- Pull water trampoline out of the water and clean tube while inflated. Remove frame and disassemble. Deflate tube using power inflator on reverse to suck out all the air. Be sure tube is completely dry.
- Lay tarp next to deflated tube and fold into tarp. Wrap tarp with rope for easy carrying to storage area. Store tube in DRY place. Do not store directly on concrete. You can purchase large plastic storage containers with lids at your local hardware store. Some have wheels to assist with moving the tube.
- Mice & rodents are attracted to PVC vinyl materials. Store in a pest free area.



A repair kit is included. See our step by step repair guide below. CALL TO ORDER - (800) 893-9677

- 1. FIND THE HOLE Inflate the tube until firm and clean with damp towel. While the tube is DRY, go over it with your hands and feel for the puncture. Often the small holes look like a scratch so check these areas first. If you find an area that you suspect is a hole, wet the area and feel for the air. Sometime you will HEAR the whistle of a small hole before you feel it. BE PATIENT. START ON THE OUTSIDE TOP AND WORK DOWN ON EACH PANEL.
- **1A. Find Quick-Fix-Patches** that were included with the product. Once you find the hole, deflate, and use these patches to repair small holes. For larger holes and more permanent repairs see below.
- 2. CIRCLE THE HOLE WITH A PEN AND THEN DEFLATE This will help you locate the area to patch once the tube is deflated.
- **3.** CLEAN THE AREA Make sure the area around the hole is cleaned and dry. Then cut a patch that will fit over the hole allowing a few inches larger for gluing surface.
- 4. APPLY PVC GLUE AND PATCH You can find this adhesive at any West Marine or Hardware store under "inflatable PVC adhesive." Place patch over hole and allow to dry for 15 minutes.
- 5. OUTLINE THE PATCH WITH AQUA SEAL (sold separately) let stand for 24 hours. Aqua Seal dries very slowly, but the repair will be PERMANENT once it is sealed. Patches without Aqua Seal will work, but will not be permanent and eventually can come off.





Using your smart phone's camera, TAP open the browser link that appears. This will take you to the Island Hopper inflation and repairs webpage.

Workmanship Limited Warranty

5 Year "No Seam Blow Out" Limited Warranty

The limited warranty set forth below is given by Neoprene Distributors International Inc. **DBA: Aqua Sports Technology** with respect to the *Island Hopper* water trampoline product purchased and used in the United States and internationally.

Your *Island Hopper*[®] product(s) when delivered to you in new condition in the original packaging are covered for manufacturing related defects in materials and workmanship. Warranty is valid from the date of original purchase so long as the product remains in the possession of the original owner. Proof of purchase is required.

Warranty Includes:

- Seams and welded connection points are covered against separation for a period of 5 years.
- Accessories supplied by Island Hopper (jump pad, jump surface, ladder, cable, inflators supplied) are warranted for a period of 1 year.

If you feel the product is defective, **DO NOT RETURN IT TO THE RETAILER.** Call our *Island Hopper* service representative at (530) 268-7310 to receive a return authorization. <u>Returned units not supported</u> by a return authorization number will be refused. Return only the defective part for inspection (tube, frame, springs, etc.) in the original carton with a copy of the bill of sale or purchase invoice along with a complete explanation of the problem and the RA number provided to you. Shipping charges, if any, must be prepaid by the consumer. COD shipments will be refused. Defective product(s) returned to Aqua Sports Technology and proven to be defective upon inspection will be repaired or exchanged for new product(s) or part(s) where applicable. The warranty period for any replacement part shall begin upon shipment, but shall in no event exceed the warranty period of the defective product. Product or parts covered by this limited warranty will be returned to you without charge.

This warranty covers all manufacturer defects encountered in normal use of the product and does not apply in the following situations:

- 1. This warranty does not cover any damage to the Island Hopper because of punctures, tearing, ripping, abrasion, ordinary wear and tear, abuse, and negligence.
- 2. Loss or damage to the product(s) due to abuse, mishandling, alteration, accident, failure to follow operation, maintenance or storage instructions, over inflation, under inflation, acts of God including damaged caused by storm or animals.
- 3. Handles and D-rings are not covered under warranty.

Neoprene Distributors International Inc. DBA: Aqua Sports Technology shall not be liable for loss of revenue or profit, failure to realize savings or other benefits, or for any other special, incidental or consequential damages caused by the use, misuse or inability to use the product(s) regardless of the legal theory on which the claim is based, even upon notification to Neoprene Distributors International Inc. DBA: Aqua Sports Technology of the possibility of such damages. Nor shall recovery of any kind against Aqua Sports Technology be greater in amount than the purchase price of the product(s) sold causing the alleged damage.



NOTICE! RELEASE OF LIABILITY, CLAIM WAIVER, AND ASSUMPTION OF RISK AGREEMENT

By opening and assembling Island Hopper[®] Water Trampoline, you are agreeing (1) to be bound to the terms set forth below and (2) to require anyone using this product to be bound by such terms. If you are unwilling to be bound by these terms, return this product (before use) for a full refund.

ASSUMPTION OF RISK: Use of this product and any of its components involves certain inherent risks, dangers, and hazards which can result in serious personal injury and death. In using the product, you freely agree to assume and accept any and all known and unknown risks of injury while using this equipment. The risks inherent in the sport can be greatly reduced by abiding by the warning guidelines listed in this owner's manual and by using common sense.

RELEASE AND WAIVER OF CLAIMS AGREEMENT: In consideration of the sale of the product to you, you hereby agree to the fullest extent permitted by law as follows:

TO WAIVE ANY AND ALL CLAIMS: that you have or may in the future have against Neoprene Distributors International: DBA Aqua Sports Technology, its distributors and dealers, resulting from use of this product and any of its components.

TO RELEASE: Neoprene Distributors International: DBA Aqua Sports Technology from any and all liability for any loss, damage, injury, or expense that you or any users of this product may suffer, or that your next of kin may suffer, as a result of the use of this product, due to any cause whatsoever, including negligence or breach of contract on the part of Neoprene Distributors International: DBA Aqua Sports Technology in the design or manufacture of this product and any of its components.

ARBITRATION: In further consideration of the sale of this product to you and any of its components, you hereby agree to submit to binding arbitration any and all claims which you believe you may have against Neoprene Distributors International: DBA Aqua Sports Technology arising from the use of any Neoprene Distributors International: DBA Aqua Sports Technology equipment or products. The arbitration shall be pursuant to the rules of the American Arbitration Association. Arbitration shall be commenced within (1) year from the date on which any alleged claim first arose. Further, the arbitration shall be held in Auburn, CA unless otherwise mutually agreed to by all parties. The submission to the American Arbitration shall be unlimited and the arbitration award may be enforced by any Court of competent jurisdiction.

BINDING EFFECT OF AGREEMENT: In the event of your death or incapacity, this agreement shall be effective and binding upon your heirs, next of kin, executors, administrators, assigns, and representatives.

ENTIRE AGREEMENT: In entering into this agreement, you are not relying upon any oral or written representations other than what is set forth in this agreement and the Neoprene Distributors International: DBA Aqua Sports Technology owner's manual.



Neoprene Distributors: DBA Aqua Sports Technology 11859 Lakeshore North | Auburn, California 95602 Warranty Information call: (530) 268-7300 askus@watertrampolines.com | www.watertrampolines.com

Additional updates may be available at: www.watertrampolines.com/safety_info.asp